

Handwritten musical notation on a staff, including notes, rests, and a treble clef.




Table 1. *F. excorticata* seed survival (%) in *Coriaria arborea* and *Eucalyptus* trees.

Host Tree	<i>F. excorticata</i> seed survival (%)
<i>Coriaria arborea</i>	10%
<i>Eucalyptus</i>	85%

10% (0.10) × 0.95 = 0.095 (9.5%)
 85% (0.85) × 0.22 = 0.187 (18.7%)
 (0.95 × 0.22) = 0.21 (21%)
 B (1995): 54% *F. excorticata*
 et al. (2008)
 (B) (78%)
 et al. 2000).

2007).

***F. excorticata* seed survival**

78% *F. excorticata*
 100%
 et al. 1998). A. (1995;
F. excorticata
 96 100%
 (B 1995), et al. (2008)
 (84%)
 D. et al. (2006)

Movement of *F. excorticata* seeds

(C & C 1995). A.
 A.
 A.
 A.

F. excorticata

excorticata

REFERENCES

- B. (2005) A. *Tetranychus urticae*. *J. Appl. Entomol.* **129**, 173–5.
- B. (1991) *Keeping Wetas in Captivity: A Series of Nine Articles for Schools and Nature Lovers*. *NZ J. Ecol.* **29**, 430–6.
- B. (1994) *Q. Rev. Biol.* **69**, 31–51.
- B. (1998) *Biotropica* **30**, 150–61.
- B., A. & D. (2006) *New Phytol.* **172**, 412–28.
- B., C. (2006) *NZ J. Ecol.* **30**, 405–6.
- B., C. (1995) *Fuchsia excorticata*, *Griselinia littoralis*, *Macropiper excelsum*, *Melicytus ramiflorus*. *NZ J. Bot.* **33**, 131–40.
- C., C. A. & C. (1995) *Conserv. Biol.* **9**, 675–8.
- C., C. (2001) *Nature* **413**, 635–9.
- C., A. & D. (1981) *NZ J. Zool.* **8**, 87–91.
- C. & B. A. (1991) *Trends Ecol. Evol.* **6**, 193–5.
- D. C. (1869) *On the Origin of Species by Means of Natural Selection, Or the Preservation of Favoured Races in the Struggle for Life*. London: Chapman & Hall.
- D., C., & B. C. (2006) *Science* **311**, 1575.
- D., C. & B. C. (2001) *Hemideina femorata*, *Hemideina crassidens* (Blunell) (Diptera: Tephritidae). *The Biology of Wetas, King Crickets and Their Allies* (Ed. by D. C. & B. C.), pp. 243–57. CAB International, Wallingford.
- D., A. (1995) *Hypsipetes amaurotis*. *Res. Popul. Ecol.* **37**, 211–18.
- D., A., A. & D. (1998) *Ariolimax columbianus*. *Am. Midl. Nat.* **140**, 103–10.
- D., C. (2006) *Oikos* **112**, 481–92.
- D., C. & B. C. (1995) *Fuchsia*. *Ann. Mo. Bot. Gard.* **82**, 473–516.
- D., A. (2007) *Plants and Vegetation: Origins, Processes, Consequences* (Ed. by D. C.). pp. 365–79. Cambridge University Press, Cambridge.
- D., C. D. (2006) *NZ J. Ecol.* **30**, 273–8.
- D., A., A. & D. (2006) *Biological Invasions in New Zealand* (Ed. by D., A., A. & D.). pp. 227–45. Cambridge University Press, Cambridge.
- D., A., A. & D. (2009) *PLoS ONE* **4**, 5480.
- D., A., A. & D. (2004) *Austral Ecol.* **29**, 430–6.
- D., C., B. et al. (2010) *Ann. Bot.* **105**, 355–64.
- D., A. & D. (2008) *NZ J. Ecol.* **32**, 108–12.
- D., C. & D. (1994) *NZ J. Ecol.* **18**, 87–107.
- D., A. (1992) *Hemideina crassidens* (Blunell) (Diptera: Tephritidae). *NZ Entomol.* **15**, 1–8.
- D., C. & B. C. (1998) *Fuchsia excorticata*. *NZ J. Ecol.* **22**, 197–203.
- D., C. (1978) *NZ Entomol.* **6**, 400.